

## PIGMENT FIXER

The bonding agent between the kit's surface and the pigment of choice.

Dries to a tacky finish that's why it bonds with pigments.

## PIGMENT POWDER

Fine powder made to imitate natural materials such as dirt, and sand.

Intended for scale model use.

# STEP 1



Dispense a few drops on a separate container.



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES

# STEP 2

- Dip brush to container and apply on the piece you will work on.



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES

# STEP 3

- Continuously dab your brush to surface.  
[application varies]



We advise to lay old newspapers over your desk for quick and easy after-use cleanup



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES

- If needed, you can apply more pigment fixer to make certain areas heavily covered with pigment.
- Another method is you can apply the pigment first on a surface then apply a few drops straight from the bottle, it will absorb the pigment and bond with the surface. Also, It'll help to get through the details via capillary action.



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES

# RESULT



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES

# RESULT



For thin layers, Apply the fixer; **let dry**; then brush on pigments for thin dust effects on surfaces.



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES

# RESULT



**ARMORED  
KOMODO**  
HEAVY INDUSTRIES